

**RICOM**

福建福光股份有限公司

[ 股票代码 688010 ]

福光车载产品  
Automotive Camera Lenses

更高、更远、更清晰

[www.forecam.com](http://www.forecam.com)



## 一. 环视 AVM

Product Model	Focal	FOV	Aperture	Mount	TTL	Resolution	Water proof	Lens structure	Target sensor	Status
C2021	0.95mm-φ4	D-200° H-195° V-147°	F2.0	M12/AA	12.8 mm	1.3MP	IP69K	2G4P, metal barrel	OX01F10	MP
C2142	1.26mm-φ5.6	D-200° H-195° V-140°	F2.0	M12/AA	17.4 mm	2MP/ 3MP	IP69K	2G4P, metal barrel	OX03C10 /AR0233/ ISX031	2022-07
C2062	φ4	H-195°	F1.6	M12/AA	17 mm	3MP	IP69K	2G5P, metal barrel	OX03D10	2022-09



## 二. ADAS 1/2.56"

Product Model	Focal	FOV	Aperture	Mount	TTL	Resolution	Waterproof	Lens structure	Target sensor	Status
<b>C1100</b>	5.47mm- φ7.2	D-82° H-59° V-49°	F1.6	M10/ M12	21.2 mm	2MP	IP69K	6G metal barrel	AR0132/ OV10642	MP
<b>C1320</b>	11mm-φ7.5	H-30°	F1.6	M10/ M12	21.7 mm	2MP	IP65	6G metal barrel	AR0233/ OX03C	PP
<b>C1330</b>	3.55mm-φ7.5	H-100°	F1.6	M10/ M12	22 mm	2MP	IP65	7G metal barrel		MP
<b>C1340</b>	3.2mm-φ7.5	H-120°	F1.6	M10/ M12	21.6 mm	2MP	IP65	7G metal barrel		PP
<b>C1380</b>	5.8mm-φ7.5	H-60°	F1.6	M10/ M12	21.5 mm	2MP	IP65	6G metal barrel		MP



## 二. ADAS 1/1.8"

Product Model	Focal	FOV	Aperture	Mount	TTL	Resolution	Waterproof	Lens structure	Target sensor	Status
C1364	3.96mm-φ9.5	121°	F1.46	M14/AA	29.95mm	8MP	IP65	3G3GM	AR0820/ OX08B	2022-09
C1374	φ9.5	60°	F1.46	M14/AA	35mm	8MP	IP65	4G3GM		2022-11
C1230	15.4mm-φ9.6	H-30°	F1.6	M12	25mm	8MP	IP65	7G metal barrel		PP
C1180	4.2mm-φ9.6	H-120°	F1.6	M12/AA	25mm	8MP	IP65	6G1GM metal barrel		MP



### 三. DMS/OMS

Product Model	Focal	FOV	Aperture	Mount	TTL	Resolution	Water proof	Lens structure	Target sensor	Status
C1090	3.6mm-φ4.8	D-80° H-68° V-51°	F2.5	M8/AA	12.6 mm	1MP	IP65	4G metal barrel	AR0144/ ISX019	MP
C1190	3.7mm-φ4.8	D-72° H-63° V-38°	F1.9	M8/AA	12.15 mm	1.3MP	IP65	5G metal barrel		MP
C1290	5.1mm-φ7.2	D-71° H-54° V-44°	F2.0	M8/AA	13.4 mm	2MP	IP65	6G metal barrel	OV2775/ OV2311	MP
C1590	φ6.9	H-135°	F2.0	M12	17 mm	2MP	IP65	7G	OV2778	2023-MAR



## 四. RVC

Product Model	Focal	FOV	Aperture	Mount	TTL	Resolution	Waterproof	Lens structure	Target sensor	Status
<b>C3090</b>	<b>1.4mm-φ4.8</b>	D-158° H-131° V-102°	F2.0	M9	11.49 mm	1MP	IP69K	1G4P metal barrel	AR0144/ ISX019	MP
<b>C3111</b>	<b>1.17mm-φ5</b>	D-161° H-135° V-105°	F2.0	M12	12.89 mm	1.3MP	IP65	2G3P metal barrel	AR0144/ ISX019	MP
<b>C5011B</b> 后视镜	<b>3.9mm-φ6.9</b>	D-100° H-87° V-48°	F1.9	M12	17.03 mm	2MP	IP69K	6G metal barrel	OV2778	MP



## 五. DVR

Product Model	Focal	FOV	Aperture	Mount	TTL	Resolution	Waterproof	Lens structure	Target sensor	Status
<b>C4030</b>	<b>3mm-φ6.9</b>	D-132° H-112° V-60°	F1.5	M12/AA	23mm	3MP	IP69K	7G metal barrel	IMX307/ IMX390	MP
<b>C4076</b>	<b>3.24mm-φ6.9</b>	D-142° H-115° V-60°	F2.2	AA	17.7mm	2MP	IP69K	5G metal barrel	AR0237	MP
<b>C4080</b>	<b>3mm-φ6.9</b>	D-140° H-115° V-60°	F1.7	M12	22mm	8MP	IP69K	7G metal barrel	IMX415	MP
<b>C4090</b>	<b>2.9mm-φ6.9</b>	D-144° H-122° V-65°	F1.4	M12	23mm	3MP	IP69K	7G metal barrel	IMX307	MP



福光

睿智

合作共赢

志同道合

价值

机遇

分享

更高

更远

更清晰

电动变焦

同步聚焦

创造

创新致远 启迪视界

百万像素

视野

谢谢!

品牌

梦想

铸就辉煌

品质

长焦透雾

全球化

超越自我

创新

领先

启迪视界

齐心协力

鱼眼